


Alumak
Glazing Facade Systems



WELCOME TO ALUMAK GLAZING FACADE SYSTEMS

Established in 2015, AGFS was one of the first companies to design and install its own Sauc_28 ultra-slim-frame sliding door. Building on years of experience of working closely with architects, contractors and consumers, Alumak Glazing Façade Systems is now a hugely successful, specialist supplier offering a range of innovative architectural glazing solutions to both the private residential and commercial construction markets.



About Us

AT A GLANCE

ALUMAK Glazing Façade System is one with boundaries-growing, changing and challenging, embraces different skills, continuous innovation, sustainable growth and a better quality of life. Shaped a lineage of sound and straight forward business principles. ALUMAK is built on a foundation of trust and transparency.

OUR STRATEGY

ALUMAK is striving to become the global benchmark in value corporation and corporate citizenship in the aluminium industry. We make the difference through.

OUR PEOPLE

Fostering teamwork, nurturing talent, enhancing leadership capability and acting with pace, pride and passion.

OUR VALUES

ALUMAK value system directs the growth and business. Cutting-edge innovation, a stringent focus on quality, sustainable operations and business excellence are the hallmarks of the trust on which ALUMAK is working on.

CONSULTATIVE APPROACH

At AGFS we understand that offering premium quality fenestration products is not enough to truly stand out in a competitive market. Certainly, our products are considered by many to be the best in terms of aesthetics, quality, durability and performance, however, what really sets us apart is the technical support that we offer and our focus on customer satisfaction.

Many well-respected architect practices have come to rely on our expertise and problem-solving capability, turning the architect's vision into a reality. Our highly experienced technical team take a consultative approach, working closely with the architect and often designing bespoke product solutions that are unique to the requirements of a particular project.

This unparalleled attention to detail continues throughout the project, doing everything possible to exceed the expectations of every architect, contractor and householder. As a result, the AGFS brand is well known and respected by discerning professionals and consumers across the country.





DESIGNED NOT TO BE SEEN

As aesthetically - pleasing as our products are, they are designed to blend into the structure of the building, to go largely unnoticed, to be looked through rather than looked at.

In recent years the demand for ultra-slim-framed doors and windows has grown significantly. We have led the way in the use of structural glazing technology to offer a range of glazing products with minimal frames.

MINIMAL SERIES WINDOW



Alumak offers turn-key services and systems which have been brought from the European market in designing, manufacturing, installation and exporting its finished aluminium products to the building industry such as luxury villas and bungalow having a full glass house and from where outside view is easily accessible. The main objective of the elevation is to give large and extravagant look. There is a multi lock system in it which combines the latest security and protection features with user friendly comfort and elegant designs and it also has an impact wheel that will last longer.

Window Type	Sliding
Thermal	Optional
Exterior Shapes	Flat

Type of typology	Double and triple horizontal sliding sashes, Meeting style.
Sash size	Up to height 8000mm & Up to width 3200mm
Colour	Powder coating, Anodize, Pvd, Wooden Finish
Air-water-wind tightness	Brush gasket
Weight in one sash	Up to 2000kg
Glass	12mm to 64mm

20MM SLIM SERIES



20MM SLIM SERIES

ALUMAK 20mm Slim Series is made up of new innovative technology and has been designed in house. It has been created keeping in the mind's environment and customer's need has been kept as priority. It can be best used for small and medium sized windows. The value of the product will assure you that your money is spent at the right place. There is zero level of maintenance required.

Window Type	Sliding
Thermal Insulation	No
Exterior Shapes	Flat

Type of typology	Double and triple horizontal sliding sashes, Meeting style, Combined with Fly-Screen and shutter
Sash size	Up to height 3000mm & Up to width 1510mm
Colour	Powder coating, Anodize, Pvdf, Wooden Finish
Air-water-wind tightness	Brush gasket
Weight in one sash	Up to 80kg
Glass	5mm to 18mm



27MM EURO SERIES

ALUMAK SL 27 is made up of innovative technology and has been designed in house. It has been created keeping in the mind Asia's environment and customers need has been kept as priority. It can be best used for small and medium sized windows. The value of the product assure you that your money is spent at the right place. There is zero level of maintenance required.

Type of typology	Double and triple horizontal sliding sashes, Meeting style, Combined with Fly-Screen and shutter
Sash size	Up to height 1600mm & Up to width 1450mm
Colour	Powder coating, Anodize, Pvd, Wooden Finish
Air-water-wind tightness	Brush gasket
Weight in one sash	Up to 55kg
Glass	5mm to 18mm

Window Type	Sliding
Thermal Insulation	No
Exterior Shapes	Flat


30MM SLIM SERIES

It is a slim looking door made up of 30mm Interlocking and has a full fix glass to have a look into. There is no difference in strength and to watch the view of one outside. It is the best system and gives an architect look. is also featured with super multi lock system. Another appealing thing about it is its smooth and easy sliding. It also takes care of the security system and the locking has a luxury handle. Types Of Typology : Double And Triple Horizontal Sliding Sashes.

Window Type	Casement
Thermal Insulation	No
Exterior Shapes	Flat

Type of typology	Double and triple horizontal sliding sashes.
Sash size	Up to height 1300mm & Up to width 650mm
Colour	Powder coating, Anodize, Pvd, Wooden Finish
Air-water-wind tightness	EPDM gasket
Weight in one sash	Up to 160kg
Glass	5mm to 24mm





37MM EURO SERIES

Company offers super multi lock system which have been brought from the European market. These are designed according to the market of Asia which gives an architect look. This door helps you create new and exciting outdoor and indoor spaces. it has smooth and easy sliding and has pointed out in terms of security. The locking system has a luxury handle. This has wide openings which gives full clarity of the view.

Window Type	Sliding
Thermal Insulation	No
Exterior Shapes	Flat

Type of typology	Double and triple horizontal sliding sashes, Meeting style, Combined with Fly-Screen and shutter
Sash size	Up to height 3600mm & Up to width 1810mm
Colour	Powder coating, Anodize, Pvd, Wooden Finish
Air-water-wind tightness	Brush gasket
Weight in one sash	Up to 160kg
Glass	5mm to 24mm

40MM CASEMENT SERIES



- 40A is a non-insulated system for inward & outward opening window & doors. High-quality constructions.
- Options for single/double shutter windows and door series.
- Options for single/double glass.
- Two point locking system available also.
- Epdm gaskets for longer life of gaskets.
- Hair line corner joints possible with the spring loaded corner cleat.
- Possibility of double shutter window and door with flying mullion for 100% opening.
- Concealed tower bolt for two point locking for flying mullion shutter.

Frame with in mm	40mm
Frame Height	39mm
Maximum width of shutter	1mtr
Maximum height of shutter	2.4mtr
Glazing method	EPDM gasket
Glass thickness	5mm to 21mm
Color	Powder coating, Anodized, Wooden Finish, PVDF

45MM CASEMENT SERIES

Reinforced profiles are also available which are strong enough for larger openings and high wind load conditions.



4500C, now popular in India. Casement Systems is developed and promoted in Co-operation with Alutec Srl. Italy by Siadow Systems Pvt. Ltd., India. We are licensed and equipped to produce and sale the 4500C series.

This series is ideal for normal windows. larger openings and high wind load conditions. This System is having glazing options from 5mm to 21mm. These windows are designed for dust and water resistance. This System is having corner joints & T - Joints for strong mechanical joineries. High performance Co-Extruded Gaskets are used in this system which can withstand -30°C to +50°C resulting in dust, water and noise protection.

This system has the flexibility for various opening options such is Internal & External Opening. Top Hung, Pivoted, Tilt & Turn etc.

These windows are available in Anodized, Powder Coated and Decoral Wood Finish.

Dedicated punching machine does most fabrication Functions for Precision and Consistency.

Alumak Profile are produced by Banco Industries Ltd. Alloy 6063 T6 Temper as per IS-6477 1983 for Dimensional Tolerances and IS-1285 1975 for Chemical Composition & Mechanical Properties.



52MM CASEMENT SERIES

This system has the flexibility for various opening options such as Internal & External Opening, Top Hung, Pivoted, Tilt & Turn etc.

- 52A casement & door series is ideal for normal windows, larger openings and high wind load conditions
- Options for single/double shutter windows and door series.
- System is having glazing options from 5mm to 21mm.
- These windows are designed for dust and water resistance.
- Two point locking available complete air and water tightness.
- EPDM gaskets for longer life of gaskets.
- Hair line corner joints possible with the spring loaded corner cleat.
- Possibility of double shutter window and door with flying mullion for 100% opening.
- Concealed tower bolt for two point locking for flying mullion shutter.

Frame width in mm	52mm
Frame Height	44.5mm
Maximum width of shutter	1mtr
Maximum height of shutter	3mtr
Glazing method	EPDM gasket
Glass thickness	5mm to 21mm
Color	Powder coating, Anodized, Wooden Finish, PVDF



Taj Gateway - Raipur



Shillim Spa & Resort Hilton - Lonavala



Atharva Hotel - Gulbarga



Manish Jain - Durg



Zone By The Park - Raipur



Delhi Darbar - Thane



Umesh Agrawal - Bilaspur (Ar. Anil Mundle)



Anil Sultania (Ar. Anil Mundle)



Lonavala Bungalow - Khandala



Umiya Quattro (Goa)




Radisson Blu - Karjat
www.agfsindia.com



Ginger Hotel - Goa

CLIENTS



Alumak

Glazing Facade Systems



Gala No.1, Ramani Compound, New Link Road, Anad Nagar, Dahisar (E),
Mumbai, Maharashtra - 400068
info@agfsindia.com | www.agfsindia.com | +91 9987000728

